

A collector's guide to
SEASHELLS
of the **WORLD**

by

Jerome M. Eisenberg

Consulting Editor: William E. Old, Jr.

with photographs and drawings by the author

McGraw-Hill Book Company
NEW YORK · LONDON

St. Louis · San Francisco · Auckland · Johannesburg
Mexico · Sydney · Tokyo · Toronto

First published in the United States of America, 1981,
by McGraw-Hill Book Company
1221 Avenue of the Americas, New York

First published in the United Kingdom, 1981,
by McGraw-Hill Book Company (UK) Limited,
Maidenhead, Berkshire, England

Copyright © 1981 by John Calmann and Cooper Ltd
All rights reserved

No part of this publication may be reproduced, stored in a retrieval
system, or transmitted, in any form or by any means, electronic,
mechanical, photocopying, recording, or otherwise, without the prior
written permission of the publisher

Library of Congress Cataloging in Publication Data


Eisenberg, Jerome M.
A collector's guide to seashells of the world.

Includes index.
1. Shells. 2. Shells - Identification.
I. Old, William E. II. Title.
QL403.E35 594'.0471 80-14886
ISBN 0-07-019140-9


This book was designed and produced by John Calmann and Cooper Ltd., London
Typeset by Composing Operations Limited, Tunbridge Wells, Kent

Printed in Hong Kong

1. (*Frontispiece*) XENOPHORA
PALLIDULA Reeve, with shells
and sponge attached. Philippine
Islands. See pl. 39, no. 8. (2/3).



1. *TEREBRA AFFINIS* Gray. Moz.-Poly., Haw.; also G. of Cal. 20-25-45-67mm. VC.
2. *TEREBRA ALVEOLATA* Hinds. Tai. Avg. 45-60mm. UC.
3. *TEREBRA (Duplicaria) ANOMALA* Gray. Tai., Aust. Avg. 43-48mm. C.
4. *TEREBRA AREOLATA* Link. E. Afr.-W. Pac., Haw. 65-85-115-176mm. C. Note two natural repairs on no. 4. Syn.: *T. muscaria* L.
5. *TEREBRA ARGUS* Lam. E. Afr.-W. Pac., Haw. <50-55-70-80mm. C.
6. *TEREBRA ARMILLATA* Hinds. Baja Cal.-G. of Cal.-Peru. 15-25-30-64mm. C.
7. *TEREBRA BABYLONIA* Lam. E. Afr.-Per. G.-Poly., Haw. ca. 30-35-50-75mm. C.
8. *TEREBRA CERITHINA* Lam. E. Afr.-Samoa, Haw. 20-35-50-76mm. C. Syn.: *T. spaldingi* Pilsbry.
9. *TEREBRA CHLORATA* Lam. E. Afr.-W. Pac., Haw. 50-55-65-90mm. C.
10. *TEREBRA (Hastula) CINEREA* Born. Gray (Atlantic) Augur. E. Fla.-W. I.-Brazil. Also, W. Mex.-Ecu. 25-35-40-50mm. C. *Hastula* is now considered a separate genus.
11. *TEREBRA CREMULATA* L. Crenulated Augur. E. Afr.-W. Pac., Haw.; off W. Mex. 30-75-110-150mm. C.
12. *TEREBRA DIMIDIATA* L. Dimidiate or Divided Augur. Moz.-E. Afr.-W. Pac., Haw. <70-75-115-164mm. C.
13. *TEREBRA DISLOCATA* Say. Atlantic or Common American Augur. Md.-Fla.-Texas-W. I.-Brazil. Also, S. Cal.-Pan. 20-22-35-56mm. VC. Color variable.
14. *TEREBRA (Hastula) DIVERSA* E. A. Smith. S. E. Afr.-W. Pac. 19-25-35-49mm. C. Orange to brown. Cp. *T. strigilata*.
15. *TEREBRA (Duplicaria) DUPLICATA* L. Duplicate Augur. E. Afr.-W. Pac. ca. 45-50-70-85mm. C. Color variable.
16. *TEREBRA DUSSUMIERI* Kiener. Tai.-Japan. <60-65-80-93mm. C.
17. *TEREBRA FELINA* Dillwyn. Tiger Augur. E. Afr.-W. Pac., Haw. 38-40-50-71mm. C.
18. *TEREBRA FLAVESCENS* Deshayes. Aust.-Fiji. 32-35-42-50mm. UC.
19. *TEREBRA FORMOSA* Deshayes. W. Mex.-Pan. Avg. 70-75mm. UC.
20. *TEREBRA FUJITAI* Kuroda & Habe. Tai.-Japan. ca. 90-110-115-130mm. VS.
21. *TEREBRA GLAUCA* Hinds. Baja Cal.-Ecu. 20-22-25-?45mm. C. Form and color variable.
22. *TEREBRA GOULDI* Deshayes. Gould's Augur. Haw. 30-35-45-65mm. UC.
23. *TEREBRA GUTTATA* Rödl. Eyed Augur. E. Afr.-W. Pac., Haw. 57-90-120-210mm. UC. Syn.: *T. oculata* Lam.



1. *TEREBRA (Hastula) HASTATA* Gm. Shiny Atlantic Augur. S.E. Fla. (VS)-W.I.-Brazil, Berm. 18-20-30-40mm. C.

2. *TEREBRA (Hastula) HECTICAL* L. Bluish Augur. E. Afr.-Poly., Haw. <28-30-45-75mm. C. Color and pattern variable.

3. *TEREBRA (Hastula) INCONSTANS* Hinds. Japan, Haw. <30-35-40-50mm. C.

4. *TEREBRA (Hastula) LANCEATA* Gm. Lanced Augur. E. Afr.-W. Pac., Haw. <25-35-55-63mm. C.

5. *TEREBRA (Hastula) LUCTUOSA* Hinds. W. Mex.-Ecu. 25-30-35-41mm. C. Grayish brown to black.

6. *TEREBRA MACULATA* L. Big or Spotted Augur; Marlinspike. E. Afr.-W. Pac., Haw.; also, off W. Mex., C.R. 70-100-150-274mm. VC. Edible. 16B is a juvenile.

7. *TEREBRA (Hastula) MERA* Hinds. W. Pac., esp. Sol. Avg. 20-25mm. UC.

8. *TEREBRA MICANS* Hinds. Mauritania-Angola. Avg. 25-35mm. C.

9. *TEREBRA MONILIS* Q. & G. Necklace Augur. E. Afr.-Poly. 25-32-40-50mm. C.

10. *TEREBRA NEBULOSA* Sow. Red Sea-Moz.-E. Afr.-W. Pac., Haw. 30-45-60-80mm. C.

11. *TEREBRA ORNATA* Gray. G. of Cal.-Ecu., Galap. 30-45-65-92mm. C.

12. *TEREBRA PERTUSA* Born. Perforated Augur. And.-Haw. 32-50-65-75mm. UC. Yellow to orange.

13. *TEREBRA PRETIOSA* Reeve. Precious Augur. W. Pac. ca. 60-75-100-125mm. UC.

14. *TEREBRA (Duplicaria) RAPHANULA* Lam. Little Radish Augur. S. Afr.-Fiji. 35-45-60-65mm. C.

15. *TEREBRA ROBUSTA* Hinds. Robust Augur. Baja Cal.-Galap. 30-70-90-137mm. C. Syn.: *T. lingualis* Hinds.

16. *TEREBRA SENEGALENSIS* Lam. N. Mauritania-Angola. <70-80-100-110mm. C.

17. *TEREBRA SEROTINA* A. Adams. Japan-China Seas. 35-40-55-65mm. C.

18. *TEREBRA SPECTABILIS* Hinds. Graceful Augur. S. Afr., Japan-Tai. Avg. 30-40mm. C.

19. *TEREBRA STRIGATA* Sow. G. of Cal.-Pan., Galap. 80-85-100-144mm. UC (was C).

20. *TEREBRA (Hastula) STRIGILATA* L. Strigate, Combed or Painted Augur. W. Pac. to Melanesia, Haw. 19-25-45-760mm. C. Cp. *T. diversa*. Syn.: *T. verreauxi* Deshayes.

21. *TEREBRA STYLATA* Hinds. Maur., W. Pac. Avg. 30-38mm. C.

22. *TEREBRA SUBULATA* L. Subulate or Chocolate Spotted Augur. E. Afr.-W. Pac., Haw. <70-90-125-168mm. C.

23. *TEREBRA TAURINUS* Lightfoot. Flame Augur. S. E. Fla.-Texas-W. I.-Brazil. ca. 75-90-120-178mm. S (was R).

24. *TEREBRA TRISERIATA* Gray. Triseriate Augur. W. Pac., Haw. (R). ca. 60-65-85-95mm. UC.

25. *TEREBRA VARIEGATA* Gray. Variegated Augur. Baja Cal.-G. of Cal.-Ecu.-?Peru. 25-30-50-101mm. C.