

DOCUMENTS DE TRAVAIL

STUDIEDOCUMENTEN

N° 20

**PRELIMINARY FAUNAL LIST OF THE MARINE MOLLUSKS
OF THE GALAPAGOS ISLANDS**

par

Y. FINET *

* : Institut royal des Sciences
naturelles de Belgique
Section des Invertébrés récents
Rue Vautier 29
B - 1040 BRUXELLES

et

Laboratoire de Zoologie
Université Libre de Bruxelles

Avenue F.D. Roosevelt 50
B - 1050 BRUXELLES

(verified)

- TEREBRIDAE - *Terebra armillata* Hinds, 1844 (3)
 - *Terebra frigata* Hinds, 1844 (1)
 - *Terebra glauca* Hinds, 1844 (1)
 - *Terebra guayaquilensis* E.A. Smith, 1880 (1)
 N.B. : In the literature, *T. guayaquilensis* is not recorded as a species of the Galàpagos. However, *T. elata* Hinds, 1844 is mentioned from the Galàpagos in KEEN (1971). *T. guayaquilensis* was presented as a synonym of *T. elata* in KEEN (1971). In fact, the two forms of *T. elata* figured by BRATCHER & BURCH in KEEN (1971) belong to two species which must be considered as separate (BRATCHER, 1979) : *T. elata* and *T. guayaquilensis*. The true *T. elata* does not seem to occur in the Galàpagos Islands and the previous records of "*T. Elata*" from the Galàpagos seem to refer to *T. guayaquilensis* (BRATCHER, pers. comm.).
- *Terebra hertleini* Bratcher & Burch, 1970 (Es)
 - *Terebra jacquelinae* Bratcher & Burch, 1970 (Es)
 - *Terebra ornata* Gray, 1834 (1)
 - *Terebra plicata* Gray, 1834 (1)
 - *Terebra purdyae* Bratcher & Burch, 1970 (3)
 - *Terebra robusta* Hinds, 1844 (1)
 - *Terebra stohleri* Bratcher & Burch, 1970 (1)
 - *Terebra strigata* Sowerby, 1825 (1)
- TURRIDAE - *Elaeocyma amplinucis* Mc Lean & Poorman, 1971 (Es)
 - *Elaeocyma melichroa* Mc Lean & Poorman, 1971 (Es)
 - *Elaeocyma splendidula* (Sowerby, 1834) (Es)
 - *Kylia rugifera* (Sowerby, 1834) (1)
 - *Leptadrillia firmichorda* Mc Lean & Poorman, 1971 (1)
 - *Agladrillia badia* Mc Lean & Poorman, 1971 (Es)
 - *Drillia (Drillia) albicostata* (Sowerby, 1834) (Es)
 - *Drillia (Drillia) clavata* (Sowerby, 1834) (1)
 - *Drillia (Drillia) sinuosa* Mc Lean & Poorman, 1971 (Es)
 - *Cerodrillia asymmetrica* Mc Lean & Poorman, 1971 (Es)
 - *Cerodrillia cybele* (Pilsbry & Lowe, 1932) (1)
 - *Splendrillia academica* Mc Lean & Poorman, 1971 (Es)
 - *Cryptogemma benthima* (Dall, 1908) (1d)
 - *Cryptogemma eldorana* (Dall, 1908) (1d)
 - *Cryptogemma polystephanus* (Dall, 1908) (Ed)
 - *Fusiturricula andrei* Mc Lean & Poorman, 1971 (Es)
 - *Cochlespira cedonulli* (Reeve, 1843) (1)
 - *Leucosyrinx exulans* (Dall, 1890) (1d)
 - *Hindsiclava hertleini* Emerson & Radwin, 1969 (Es)

CONIDAE

(continued)

- *Conus (Pyruconus) patricius* Hinds, 1843

N.B. : This species is mentioned from the Galàpagos by STEARNS (1893). One specimen from Academy Bay, Santa Cruz Isl., Galàpagos, and identified as *Conus patricius*, is present in the collection of the Charles Darwin Research Station, Galàpagos. But it might be a misidentification, because it seems to me that this specimen rather looks like a *Conus fergusonii* Sowerby, 1873.

TEREBRIDAE

(NOT CAUSIDAE VULGARIS)

- *Terebra elata* Hinds, 1844

N.B. : In KEEN (1971), *Terebra elata* is mentioned from the Galàpagos, and *Terebra guayaquilensis*, E.A. Smith, 1880 is presented as a synonym of *T. elata*. In fact, the two forms of *T. elata* figured by BRATCHER & BURCH in KEEN (1971) belong to two species which must be considered as separate (BRATCHER, 1979) : *T. elata* and *T. guayaquilensis*. The true *T. elata* does not seem to occur in the Galàpagos Islands and the previous records of "*T. elata*" from the Galàpagos seem to refer to *T. guayaquilensis* (BRATCHER, pers. comm.).

TURRIDAE

- *Homospira maculosa* (Sowerby, 1834)

N.B. : One specimen from Santiago Isl., Galàpagos, is recorded in the collection of the Charles Darwin Research Station, Galàpagos. But the identification of this specimen is uncertain.

- *Pyrgospira obeliscus* (Reeve, 1843)
 - *Compsodrillia excentrica* (Sowerby, 1834)
 - *Borsonella (Borsonellopsis) callicesta* (Dall, 1902)

Subclass : OPISTHOBRANCHIA

- PYRAMIDELLIDAE - *Odostomia (Chrysallida) excelsa* Dall & Bartsch, 1909

- CAVOLINIIDAE - *Cavolinia globulosa* (Gray, 1850, ex Rang, MS)
 - *Cavolinia inflexa* (Lesueur, 1813)
 - *Cavolinia tridentata* (Niebuhr, 1775, ex Froskäl, MS)
 - *Clio chaptalii* Gray, 1850
 - *Clio pyramidata* Linnaeus, 1767

PERACLIDAE

- *Peracle apicifulva* Meisenheimer, 1906
 - *Peracle bispinosa* Pelseneer, 1888
 - *Peracle reticulata* (Orbigny, 1836)

APLYSIIDAE

- *Aplysia (Aplysia) juliana* Quoy & Gaimard, 1832