

ZOOL.

MARINE SHELLS

OF

SOUTH AFRICA

A CATALOGUE OF ALL THE KNOWN SPECIES

WITH

REFERENCES TO FIGURES IN VARIOUS WORKS, DESCRIPTIONS
OF NEW SPECIES, AND FIGURES OF SUCH AS ARE NEW,
LITTLE KNOWN, OR HITHERTO UNFIGURED

BY

G. B. SOWERBY, F.L.S., F.Z.S.

C 208

~~J.B. 1649330~~



LONDON

SOWERBY, 121 FULHAM ROAD, S.W.

1892

NATICA PYGMÆA, *Philippi*, *Abbild. und Beschreib.* vol. i. p. 17, pl. 1, fig. 12.—Unknown to me. Table Bay (Krauss).

NATICA MAROCHIENSIS, *Gmelin*, *Sowerby, Thes. Conch.* vol. v. pl. 462, fig. 151.—*N. maroccana* (Chemnitz) = *N. lurida* (Philippi).—Natal (Crawford).

SCALARIA LACTEA, *Krauss*, *Sudafr. Moll.* p. 94, pl. 5, fig. 27; *Conch. Icon.* sp. 93.—Natal coast (Krauss); Port Elizabeth (Bairstow).

SCALARIA CLATHRATULA, *Montagu*, *Sowerby, Illust. Index of Brit. Shells*, pl. 15, fig. 20.—Several specimens of this British and European species found at Port Elizabeth.

SCALARIA FRAGILIS, *Hanley*, *Sowerby, Thes. Conch.* vol. i. pl. 33, fig. 64.—Port Elizabeth (a small specimen).

SCALARIA CORONATA, *Lamarck*, *Sowerby, Thes. Conch.* vol. i. pl. 35, fig. 133.—This species, generally known as West Indian, is not uncommon at Port Elizabeth.

SCALARIA PSEUDO-SCALARIS, *Brocchi*, = *S. clathrus*, *Sowerby, Thes. Conch.* vol. v. pl. 35, fig. 131.—A species of almost universal distribution: Britain, Mediterranean, Mauritius, East and West Indies, as well as South Africa.

SCALARIA FUCATA, *Pease*, *Proc. Zool. Soc.* 1860, p. 400.—Sandwich Islands (Pease).—Port Elizabeth.

SCALARIA REPLICATA, *Sowerby*, *Thes. Conch.* vol. i. pl. 32, figs. 23, 24.—Port Elizabeth (rare).

TEREBRA CAPENSIS, *E. A. Smith*, pl. 4, fig. 88; *Ann. and Mag. Nat. Hist.* 1873, vol. xi. p. 269.—Port Elizabeth.

TEREBRA GRAYI, *E. A. Smith*, pl. 4, fig. 89; *Ann. and Mag. Nat. Hist.* 1877, vol. xix. p. 227. = *T. gracilis* (Gray), name preoccupied.—South-east Africa.

TEREBRA PERTUSA, *Born*, *Sowerby, Thes. Conch.* vol. i. pl. 42, figs. 42, 43.—Port Elizabeth (rare).

TEREBRA TIARELLA, *Deshayes*, *Reeve, Conch. Icon.* sp. 109.—Natal.





TEREBRA CINGULIFERA, *Lamarck*, *Sowerby, Thes. Conch.* vol. i. pl. 42, fig. 24.—Port Elizabeth (rare), Mauritius, &c. (common).

DESCRIPTION OF PLATE IV.

- Fig. 76. *Pleurotoma subventricosa*, p. 6.
" 77. " *Borni*, p. 6.
" 78. " *Kraussi*, p. 6.
" 79. " *diversa*, p. 6.
" 80. " *caffra*, p. 6.
" 81. " *hottentota*, p. 5.
" 82. " *platystoma*, p. 5.
" 83. " *tripartita*, p. 6.
" 84. *Defrancia capensis*, p. 6.
" 85. *Turbinella truncata*, p. 17.
" 86. *Nassa Crawfordi*, p. 13.
" 87. *Triton Kleinei*, p. 8.
" 88. *Terebra capensis*, p. 24.
" 89. " *Grayi*, p. 24.
" 90. *Solariella dilecta*, p. 44.
" 91. *Loripes globosus* ($\frac{1}{3}$ diam.), p. 61.
" 92. *Kellia mactroides*, p. 62.
" 93. " *rotunda*, p. 62.

SOUTH AFRICAN SHELLS.

Plate 4.



G.B.Sowerby lith.

Hanhart imp.