

BRUGUIERI
 DESH 1859 (73)
 = CONSPERSA

VOIR DALL 1908
 A LUCANA

112. *TEREBRA BRUGUIERI*, Desh.

T. testa elongata, turrita, angusta, apice acuminato, candida, rubro-purpurascens, pallido maculata et strigata; ultimo anfractu ad basin flavo-rubente; anfractibus angustis numerosis, sulco vix impresso divisus, supra marginem suturalem transversim striatis; costulis minutis, longitudinalibus, numerosis, regularibus, decussatis; ultimo anfractu brevi, retuso; apertura parva, ovata, utrinque attenuata, intus rosea; columella brevi, cylindracea, unipliata, angulo minuto extus vix distincta.

Long. 42 mill., larg. 9.

Terebra hindsii, Desh., non Carpenter, Journ. de Conch. 1857.

Hab. La Chine.

Collection Cuming.

DESH 1859 p. 297

42. *bruguieri*, *Terebra* - DESHAYES, 1859, P. Z. S. L., p.

297 (nom. nov. pro *Terebra hindsii* DESHAYES, 1857).

Hab. La Chine. Coll. Cuming. Size: 42x9 mm.

Holotype: 39.8 mm (marked x inside aperture);

syntype: 37.5 mm. = *Terebra conspersa* HINDS,

1844.


669

112. *T. bruguieri* Desh. P.Z.S., 1859, 297. China. Type B.M. This name replaces *T. hindsii* Desh., J. Conchyl., vi, 81, pl. v, f. 5, China, non *T. hindsii* Carpenter in the Mazatlan Catalogue.

T44

47. *Terebra (Myurella) bruguieri*, Deshayes, 37, XII. (*T. hindsii*, Deshayes, 12, b). II

SMITH 1803 940. 06



73c

73c, Type specimen of *T. bruguieri* Deshayes, British Museum (N.H.); 39.8 mm. BRAT 87

Species 82. (Mus. Cuming.)

TEREBRA BRUGUIERI. *Ter. testá pyramidalit-turritá, candidá, ad apicem basinque roseá, maculis grandibus aurantiis obscure tessellatá, anfractibus declivi-convezis, densissimè clathratis, supernè sulco latè divisus, ultimo subventricosus; apertura ovatá, columellá breviusculá, contortá.*

BRUGUIERE'S TEREBRA. Shell pyramidally turreted, white, pink at the base and apex, obscurely tessellated with large orange blotches, whorls slopingly convex, very densely latticed, broadly divided at the upper part by a groove, last whorl rather ventricose; aperture ovate, columella rather short, twisted.

DESHAYES, Pro. Zool. Soc. 1859, p. 297.

Terebra Hindsii, Deshayes (not of Carpenter).

Hab. China.

Very closely allied to *T. Peasei*, from the Sandwich Islands; indeed, it is not improbable that they may prove to be varieties of the same species.

R.V. 1860



2
T. Bruguieri
 Desh.

2. *Terebra Bruguieri*, Desh. (= *cancellata*). Rve., f. 82, *cancellata*

bruguieri (*Terebra*), Desh. Proc. Zool. Soc., 1859, p. 297.

= *T. cancellata*, Quoy,

22

TRYON 1885



82