

2. *acuminata*, *Terebra* - REEVE, 1860, Conch. Icon., pl. 26, sp. 143 (non BORSON, 1820; nec GRATELOUP, 1834). Hab. ? Coll. Cuming. Size of figure: 28.5 mm. Holotype: 29.5 mm (marked x near apex of shell on tablet). = *Hastula exacuminata* SACCO, 1891. C69

ACUMINATA

REEVE 1860

= CINEREA

233

= EXACUMINATA SACCO 1891 80083

Species 143. (Mus. Cuming.)

TEREBRA ACUMINATA. *Ter. testá aciculari-subulatá, tenuiculá, livido-purpurascete, plumbeo tinctá, infra suturas saturatè maculatá, ad basin latifasciatá, anfractibus declivi-planatis, supernè elongatè plicato-crenulatis; aperturá parvâ, columellâ appressè arcuatâ, brevi.*

THE ACUMINATED TEREBRA. Shell acicularly subulate, rather thin, livid-purple, tinged with lead-colour, dark-spotted beneath the sutures, broadly banded at the base, whorls slopingly flattened, elongately plicately crenuled at the upper part; aperture small, columella appressly arched, short.

Bullia acuminata, Gray, MS. in Mus. Brit.

Hab. — ?

Of the same type as the two preceding species. The ground colour of the shell is a sombre leaden-purplish hue, with a row of dark spots beneath the suture, in the place of the band.

R V 1860




73
T.
acuminata
Gray
= cinerea



Acuminata (Terebra), Gray. Reeve, Icon., f. 143.
= T. cinerea, Born, 31

TRAYON 1885

73. *Terebra acuminata*, Gray (= cinerea). Reeve, Conch Icon., f. 143,



233e

233e, Holotype of *T. exacuminata* Sacco (and *T. acuminata* Reeve). British Museum (N.H.) No. 1979117; 29.5 mm. BRAT 87