

ADANSONI

DESH 1859

= ACICULINA (236)

= ACICULINA LAH. 1822 (BOU 83)

79. TEREBRA ADANSONI, Desh.

*T. testa elongato-acuminata, nitida, albo-luteola, aliquantisper griseo vel fusco fasciata; anfractibus latis, contiguis, sutura lineari vix separatis, tenuiter longitudinaliter semistriatis; ultimo anfractu magno, subventricoso; apertura elongato-acuta, superne attenuata, basi dilatata, profunde lateque emarginata; columella brevi, conoidea, apice acuminata, extus callo albo induta.*

Long. 39 mill., larg. 8.

Hab. Sénégal.

Collection Cuming et la mienne.

DESH 1859 p 233

79. *T. adansonii*, Deshayes, variety of *T. micans*, Hinds. RV 1820-6

*Adansonii* (Terebra). Desh. Proc. Zool. Soc., 1859, p. 291.

= *T. cinerea*, Born, . . . . . 31

TRICUN 1885

79. *T. adansonii* Desh. P.Z.S., 1859, 291. Senegal. Types (3) B.M. = *micans* Hinds.

T 44

*T. adansonii*, Terebra - DESHAYES, 1859, P.Z. S. L., p. 291. Hab. Sénégal. Coll. Cuming and Deshayes. Size: 39x8 mm. There are 3 syntypes in the type collection: 32.6 mm, 32.5 mm and 31.8 mm, but these are appreciably smaller than the stated type, which is possibly in the Deshayes collection in the École des Mines in Paris. = *Terebra micans* HINDS, 1844. C69



236b

236b, Lectotype of *T. adansonii* Deshayes, Museum National d'Histoire Naturelle, Paris: 39.0 mm.

BRAT 87