

37. TEREBRA CRASSULA, Desh.

T. testa elongata, subfusiformi, crassa, solida, alba, ad apicem flavida, longitudinaliter plicata, plicis regularibus, obliquatis, undulosis; sutura regulariter crenulata; ultimo anfractu elongato, cylindraceo; apertura elongato-angusta, subquadrata, basi late profundeque emarginata; columella crassa, conica, superne uniplicata, extus sulco impresso marginata.


Long. 27 mill., larg. 7.

Hab. — ?

Ma Collection.

DESH 1859 p282

TYPE IN REEVE DES MINES ? (T44)




Terebra crassula Deshayes, 1859, paratype, fig. 3. No figure was previously published. Dimensions 23.6 x 5.2 mm. Original measurements 27 x 7 mm. Differences of measurements are sufficient that this must be considered a paratype. Type locality unknown. This is a synonym of *Hastula hastata* (Gmelin, 1891), a common western Atlantic species. BRATCHER 77 VOL. 91(2)1940

FIG. 3. *Terebra crassula* Deshayes, 1859, paratype.

CRASSULA

DESH 1859

= HASTATA (221)



221c

221c, Lectotype of *T. crassula* Deshayes, Museum National d'Histoire Naturelle, Paris; 23.6 mm. BR 47 87

37. *T. crassula*, Deshayes, variety of *T. hastata*, Gmelin. rev 1866

Crassula (*Terebra*), Desh. Proc. Zool. Soc., 1859, p. 282.

= *T. hastata*, Gmelin, 34

TRAYON 1985