



64. TEREBRA MODESTA, Desh.

T. testa elongato-subulata, nitida, micante griseo-fuscescente, pallide unifasciata, longitudinaliter plicata, transversim obsolete striata; anfractibus planis, sutura crenulata junctis; apertura minima, intus castanea, ovato-angusta, utraque extremitate attenuata, zonula alba intus bipartita; columella acuta, fusco maculata, superne obliquissime uniplicata.

Long. 22 mill., larg. 4.

Hab. L'embouchure de l'Indus.

Collection Cuming.

Malgré son analogie avec le *matheroniana*, le *caliginosa* et quelques autres espèces du même groupe celle-ci se distingue facilement, non-seulement par sa coloration, mais encore par les côtes nombreuses, droites et régulières, que portent les tours. Ses côtes sont peu proéminentes, parfaitement régulières; elles disparaissent à la circonférence du dernier tour; la coloration est d'un gris brunâtre, uniforme, si ce n'est à la suture, où elle devient plus blanchâtre.

Desh 1859 p 288

NODESTA

DESHAYES 1859

= MATHERONIANA

208

64. *T. modesta* Desh. P.Z.S., 1859, 288. Mouth of the Indus. Types (2) B.M. = *matheroniana* Desh. T44

139. *modesta*, *Terebra* - DESHAYES, 1859, P. Z. S. L., p.

288. Hab. L'embouchure de l'Indus. Coll. Cuming.

Size: 22x4 mm. Holotype: 21.6 mm; syntype: 20.6

mm (on label is written "= *T. matheroniana* DES-

HAYES, 1859). C69

Modesta (*Terebra*), Desh. Proc. Zool. Soc., 1859, p. 288.

= *T. strigilata*, Linn. 33

TRAYON 1885


ayish with pale band below the
suture; with numerous, somewhat
regular axial ribs; aperture
chestnut brown within; to approx.
2 mm. (BMNH type collection)

Terebra modesta Deshayes

PAKISTAN

S.K.

64. *T. modesta*, Deshayes, variety of *T. strigilata*, Linnæus. 201760b



208b

208b, Lectotype of *T. modesta* Deshayes, British Museum (N.H.) No. 1979104; 21.6 mm.

BRAT 87