

TEREBRIDAE


125. *livida*, *Terebra* - REEVE, 1860, Conch. Icon., pl. 22, spec. 116. Hab. Philippine Islands. Coll. Taylor. Size of figure: 41.8 mm. Holotype no. 74.12.11.299: 38.4 mm. C69

LIVIDA (1)
REEVE 1860

(V) (97)

* *T. (Decorihastula) livida* REEVE, 1860: Conch. Icon., T., no. 116, pl. 22.
Rare at Bataan and Batangas Bay, Luzon (CM no. 127131; DM no. 3573; Olivera). BUREAU

45. TEREBRA LIVIDA, Reeve.
Terebra livida, Reeve: Conch. Icon., vol. xii, fig. 116.
Hab.—Durban (Burnup); Philippines (Reeve). SMITH 1903 S-AFR



A very distinctive species; light and dark gray; aperture chestnut within; to approx. 39 mm. Specimen on right is a syntype (BMNH type collection).

Terebra livida Reeve
PHILIPPINES S.K.


97. *Terebra livida* Reeve, 1860
(Pl. 26, fig. 97)

1860 *Terebra livida* Reeve, Conch. Icon. 12: pl. 22, fig. 116.
1961 *Decorihastula livida* (Reeve), Oyama & Takemura, Moll. Shells, Resources Exploitation Inst. 5: *Decorihastula* figs. 7, 13.

Description: Shell to 40 mm; color shiny lead gray; outline of whorls flat; protoconch of 4 whorls; subsutural band defined by deep groove between ribs, faint over summit; axial ribs, about equal to interspaces, slightly swollen at posterior, 14 to 20 on penultimate whorl; spiral grooves, 6 to 10; aperture elongate-quadrate, usually with a narrow light band showing through; columella recurved, with light parietal callus.

Type locality: "Philippine Is."
Distribution: From the Philippines to the Fiji Is.
Type: Holotype BM(NH) no. 1874.12.11.299; 38.4 mm.
Discussion: There are few terebrids with the shiny lead gray color of this species. See *T. succincta* (Gmelin) (98, below) for comparison.

B.97-110



97, *T. livida*

Reeve. Holotype British Museum (N.H.) No. 1874.12.11.299.; 38.4 mm.

Species 116. (Mus. Taylor.)

TEREBRA LIVIDA. *Ter. testá acuminato-subulatá, livido-purpurascente aut plumbeá, anfractibus declivi-planatis, sulco supernè divisís, densè plicato-costatis, costis plano-angulatis, interstiliis striato-sulcatis; aperturá oblongo-ovatá, intus castaneá, columellá contorto-recurvá, carinatá.*

THE LIVID TEREBRA. Shell acuminately subulate, livid-purple or lead-colour, whorls slopingly flattened, divided by a groove round the upper part, closely plicately ribbed, ribs flatly angled, interstices striately grooved; aperture oblong-ovate, chestnut in the interior, columella twistedly recurved, keeled.

Hab. Philippine Islands; Cuming.

A well marked species, of which specimens have been confounded in Mr. Cuming's collection with M. Quoy's *T. cancellata*. It is of a different form, more flatly and straightly sculptured, less corded at the sutural margin, and of a peculiar livid lead-colour. K.V. 1860



116



86
T. livida Ry.
= *cancellata*

86. *Terebra livida*, Reeve (= *cancellata*). Icon., f. 116, *Livida* (*Terebra*), Reeve. Conch. Ic., 116, 1860.
= *T. cancellata*, Quoy, var. S/84 22

TRAYON 1885

*Terebra livida Reeve Fig. 116. Von Prof. Möbius auf Mauritius gesammelt.

Eine weisse Abänderung derselben ebenfalls aus Mauritius von Hrn. Robillard
erhalten.

7 Arten 1880 p. 21

LIVIDA (2)
REEVE 1860

(V) (97)