

127. *TEREBRA SUBANGULATA*, Desh.

T. testa elongato-subulata, flavida, longitudinaliter costata, transversim striata; anfractibus convexiusculis, inferne subangulatis, sulco viz impresso bipartitis, costulis latis, obtusis; ultimo anfractu elongato, superne attenuato, canali brevi, lato, terminato; apertura flava, elongato-angusta, subquadrata; columella angusta, apice acuta, basi cylindracea.

Long. 34 mill., larg. 7.

Hab. —?

Ma Collection.

DES 1859 p 300

TYPE IN REOLE DES MINES ? (T. 44)

T. SUBANGULATA
(Deshayes, 1859) 38
mm. - Nuove Ebridi,
Fino a 5 m.

AUBRY PL 7

SUBANGULATA
Des 1859
V 107



92

T. subangulata
Desh
= cancellata

92. *Terebra subangulata*, Desh. (= cancellata). Reeve.
Icon., f. 87,

Subangulata (*Terebra*), Desh. Proc. Zool. Soc., 1859, p. 300.
= *T. cancellata*, Quoy, 22

TRAYON 1885




FIG. 11. *Terebra subangulata* Deshayes, 1859, holotype.

Terebra subangulata Deshayes, 1859, holotype, figs. 11. Previously figured by Reeve, pl. 18, fig. 87. Dimensions 33.6 x 6.8 mm. Original measurements 34 x 7 mm. Type locality unknown.

BRATCHER 1977 NAUT 91(2) 42

Species 87. (Mus. Deshayes.)

TEREBRA SUBANGULATA. Ter. testâ angustè subulatâ, flavidâ, anfractibus supernè rudè angulatis, sulco lineari divisis, longitudinaliter costatis, interstitiis elevato-striatis; aperturâ parvâ, subangustâ, columellâ subcontortâ, basi recurvâ.

THE SLIGHTLY ANGLED TEREBRA. Shell narrowly subulate, yellowish, whorls rudely angled round the upper part, divided by a linear groove, longitudinally ribbed, interstices elevately striated; aperture small, rather narrow, columella slightly twisted, recurved at the base.

DESHAYES, Pro. Zool. Soc. 1859, p. 300.

Hab. —?

Described from a single specimen in M. Deshayes's collection, not in a very good state, the shell being more or less incrustated with reddish matter.



87.

RV 1960

107. *Terebra subangulata* Deshayes, 1859

(Pl. 29, figs. 107a-b)

1859 *Terebra subangulata* Deshayes, Proc. Zool. Soc. Lond. pt. 26: pt. 26:300; 1860 Reeve, Conch. Icon. 12: pl. 18, sp. 87; 1977 Bratcher, Nautilus 91(2):42, fig. 11; Aubry, Terebridae pl. 7.

Description: Shell to 37 mm; color yellowish; outline of whorls slightly convex, somewhat turreted; subsutural band angled inward from remainder of whorl, defined by groove, deeper between ribs, cutting lightly through ribs; axial ribs strong, well developed, widely spaced, about 16 on penultimate whorl; interspaces, including those on band, filled with fine spiral threads, about 25 on penultimate whorl; body whorl elongate; aperture narrow and elongate; columella almost straight.

Type locality: None given.

Distribution: Unknown.


Type: Holotype MNHN Paris; 33.6 x 6.8 mm.

Discussion: The type locality and distribution are unknown, and we have seen no specimens other than the holotype.

B.107. p. 106



107a



107b

FIGS. 107a, b, *Terebra subangulata* Deshayes. 107a, Holotype Museum National d'Histoire Naturelle, Paris; 33.6 mm. 107b, Lower whorls.