

18. TEREBRA VIRGINEA Desh. (Pl. IV, fig. 12.)

p 23

T. testa elongato-angusta, subulata, laevigata, nitida, omnino candidissima; anfractibus latis, planis, sulco divisis, sutura subcrenulata separatis; ultimo anfractu brevi, basi obtuso; apertura brevi, obliqua, ad basim dilatata, profunde emarginata, columella conica, simplici, basi extus angulo circumdata.

Habite Zanzibar.



81

Collection de M. Cuming.

Desh 1857 p 83

192. TEREBRA VIRGINEA, Desh.

T. testa elongato-angusta, subulata, laevigata, nitida, omnino candidissima; anfractibus latis, planis, sulco divisis, sutura subcrenulata separatis; ultimo anfractu brevi, basi obtuso; apertura brevi, obliqua, ad basin dilatata, profunde emarginata; columella conica, simplici, basi extus angulo circumdata.

Long. 52 mill., larg. 11.

Hab. Zanzibar.

Collection Cuming.

Desh 1857 p 310

T 44

192. *T. virginica* Desh. J. Conchyl., vi, 83, pl. iv, f. 12. Zanzibar.
Type B.M. = *consors* Hinds.

214. *virginea*, *Terebra* — DESHAYES, 1857, J. C. P., 6: 83,

plt. 4, fig. 12. Hab. Zanzibar. Coll. Cuming. Size:

52×11 mm. Holotype: 52.3 mm. = worn and faded *T. consors* HINDS, 1844.

C 69

192. *T. virginica*, Deshayes, a bleached *T. consors*, Hinds. RV 1960 b

33

33. *Terebra virginica*, Desh. (= *consors*). Jour. de Conch.
2d ser., ii, t. 4, f. 12.

T. virginica Desh
= *consors*

Virginea (*Terebra*), Deshayes. Jour. Conch., 1857, p. 83,
pl. iv, f. 12. = *T. consors*, Hinds, 9

T 40 W 1885