

189. TEREBRA CHINENSIS, Desh.

T. testa elongato-turrita, angusta, subulata, albo-flavidula; anfractibus numerosis, angustis, tenuiter transversim striatis, sulco impresso inequaliter bipartitis, ultimo anfractu cylindraceo, basi attenuato; apertura elongato-angusta, subquadrata, margine acuto concavo; columella cylindracea, lata, contorta.

Long. 49 mill., larg. 7.
Hab. Les mers de la Chine.
Ma Collection.

DESH 1859 p 309

TYPE IN ZOOLE DES MINES ? (T.44).

Terebra chinensis Deshayes, 1859. No figure was published. Type locality is China Seas. Reeve considered this conspecific with *T. cingulifera* Lamarck, 1822, a common Indo-Pacific species. No specimens of this taxa were found. BRANCHER ??
VEL GILLIHO

189. *T. chinensis*, Deshayes, variety of *T. cingulifera*, Lamarck. KUN 606

Chinensis (Terebra), Desh. Zool. Proc., 309, 1859.
= *T. cingulifera*, Lam. 27

TRAYON 1885

CHINENSIS

DESH 1859

N. DUB

N. DUB

Terebra chinensis Deshayes, 1859, Proc. Zool. Soc. Lond. pt. 27: 309. The type is lost, and the species was not figured. Reeve (1860) considered it conspecific with *T. cingulifera* Lamarck.

N. DUB

1860 B2 27