

BRAZIERI

ANGAS 1875

TRYON 1885

EXC L U E N D A R

EXC

NOT IN BRATCHER'S

NOT IN B & C 87

*Parviterebra* Pilsbry 1904 (*paucivolvis* Pilsbry)  
1004. *brazieri* Angas 1875 (*Eurypta*) (710, pl. 34, f. 13) ~~WASHAW ST TASM~~

816—*brazieri* Angas, *Euryta*, Proc. Zool. Soc., 1875, p. 390, pl. 45, f. 5; *Mangelia harrissoni*, Ten. Woods, Proc. Roy. Soc., 1877, p. 890. ~~WOLLEY 12 N.S.W~~

*Brazieri* (*Euryta*), Angas. Proc. Z. S., 1875, p. 390, t. xlv, f. 5, 5 a. . . . . 39

26. *Terebra Brazieri*, Angas (= *pulchella*). Zool. Proc., t. 45, f. 5, 1875.

TRYON 1885

SEE ANGAS!

TRYON 1885



26

*T. Brazieri*  
ang.  
= *pulchella*

3. *EURYTA BRAZIERI*, n. sp. (Plate XLV. figs. 5, 5a.)

Shell somewhat narrowly fusiform, the spire a little longer than the aperture, white, shining, ornamented with three broad transverse sharply defined bands of irregular descending olive-brown lines here and there passing into blotches, the central band the broadest; apex olive-brown; whorls 7, slightly convex, longitudinally plicate, the last whorl more narrowly and finely plicate, with the interstices crossed by fine liræ, the plicæ ceasing above the central band, faintly transversely sulcate at the base; aperture narrow; columella slightly subflexuous and covered with a thin callus; outer lip simple, acute.

Long. 6, lat. 1½ lines.

*Hab.* Dredged off Port-Jackson Heads, in 25 fathoms.

A prettily marked shell, quite distinct from any of the other Australian species of this genus hitherto described.

ANGAS 1875 P.Z.S. p. 390.



5a



5

5, 5a. *Euryta brazieri*, p. 390.