

20. Buccin poli. *Buccinum politum*. p 269

*B. testá ovato-conicá, apice peracutá, lævissimá, nitidá, albo aut luteo cærulescente; anfractibus convexiusculis: supremis obsoletè plicatis; aperturá lævi; labro simplici, margine acuto.*

Habite les mers du Sénégal. Mon cabinet. Longueur, 12 lignes et demie.

LAM 1822

TEREBRA POLITA, Gray, Proc. Zool. Soc. 1834, p. 63. DASH 1857  
C'est le *Buccinum politum* de Lamk., le *Miran* d'Adanson. p 319

III. *Anfractibus sulco postico nullo.*

\* *Labio interiore tenui.*

b. *Testá brevi.*

*Ter. polita*.—*Buccinum politum*, Lam. GRAY 1834 p 63

GRAY 1834.

Excludendæ.

139. TEREBRA POLITA, Gray, Proceed. Zool. Soc. 1834, p. 63.  
*Buccinum politum*, Lamarck. HNS 442 p 168

EXCLUDENDÆ.

T. POLITA, Gray, l. c. p. 63. HNS 442 p 176

EXCLUDENDÆ

POLITA

LAM 1822

2-CC

Polita (Terebra), Gray. Proc. Zool. Soc., 1834, p. 63.  
= Bullia, Manual, iv, . . . . . 39

TRAYON 1885

*Terebra polita* Gray, 1834, Proc. Zool. Soc. Lond. pt. 2: 63, a generic re-assignment of *Buccinum politum* Lamarck, 1822, which is a synonym of *Dorsanum miran* (Bruguière, 1789), family Nassariidae. 32 8f