

TEREBRA TAHITENSIS, Gray, Proc. Zool. Soc. 1834, p. 61. → 63 !!
C'est un Buccin, *Buccinum tahitense*, Gmel. DASH 1858 p 320

EXCLUDENDÆ

1 TAHITENSE

~~GRAY 1834~~
GRAY 1834 ← ou Gmel 1791
NOT A TEREBRID

III. *Anfractibus sulco postico nullo.*

** *Labio interiore incrassato, elevato; testâ brevi.*

Obs. *Nassæ* quodammodo affines; sed neque labium internum dilatatum, nec externum incrassatum.

Ter. Tahitensis.—*Buccinum Tahitense*, Gmel.—*Buccinum Australe*, Sow. GRAY 34 p 62

Australe (*Buccinum*), Sowb. Gray, Zool. Proc., 168, 1843.
= *Bullia Tahitensis*, Gmel. Man., vol. iv.

TRAYON 1885

tahitense. 182. *B. testa turrita transversim costata fulcataque: striâ ad anfractuum suturam spirali nodulosa, apertura ovata, labro subplicato. Chemn. Conch. 10. p. 202. t. 154. f. 1477.*
Habitat ad Tahiti littora. Gmel 1791 p 3498

EXCLUDENDÆ.

T. TAHITENSIS, Gray, l. c. p. 63. HND5446 p 186

Tahitensis (*Terebra*), Gray. Proc. Zool. Soc., 1834, p. 63.
= *Bullia Tahitensis*, Gmel. Manual, vol. iv, . . . 39

TRAYON 1885

Excludendæ.

138. TEREBRA TAHITENSIS, Gray, Proceed. Zool. Soc. 1834, p. 63.
Buccinum tahitense, Gmelin. HND5446 p 168
B. australe, Sowerby.

Terebra tahitensis Gray, 1834, Proc. Zool. Soc. Lond. pt. 2: 63. This is a synonym of the problematical *Buccinum othaeitense* Bruguière, 1789, which is tentatively considered a *Bullia*, family Nassariidae. 82 87